Attorney Docket No.: J3678(C) Serial No.: 10/520,394

Filed: January 4, 2005

Confirmation No.: 5147

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listing of claims in the application.

Listing of Claims:

Claim 1 (Currently Amended) A method of treating hair comprising the step of applying to the hair a leave on hair treatment composition comprising:

- citric acid, tartaric acid, their salts or mixtures thereof; and
- ii) a xanthine, substituted xanthine or mixtures thereof, wherein the ratio of
 i) to ii) is from 1:0.01 to 0.01:1.

wherein the leave on hair treatment composition is applied to lengthen the hair, decrease the volume of the hair and/or to increase the high humidity style retention of the hair.

Claim 2 (Previously presented) A method according to claim 1 in which the xanthine substituted xanthine ii) of the hair treatment composition has the following formula:

$$R^1$$
 N
 N
 N
 N
 N

Attorney Docket No.: J3678(C) Serial No.: 10/520.394

Filed: January 4, 2005

Confirmation No.: 5147

in which R^1 , R^2 and R^3 are independently selected from H, substituted or unsubstituted C_1 - C_5 alkely groups, substituted or unsubstituted C_2 - C_5 alkenyl groups, arylalkyl groups or mixtures thereof.

Claim 3 (Original) A method according to claim 2 in which R^1 , R^2 and R^3 of the xanthine/substituted xanthine ii) are independently selected from H, C_1 - C_5 alkyl groups, C_2 - C_5 alkenyl or mixtures thereof.

Claim 4 (Original) A method according to claim 3 in which R¹, R² and R³ of ii) are independently selected from H, methyl groups or mixtures thereof.

Claim 5 (Previously presented) A method according to claim 1 in which the xanthine derivative ii) is caffeine.

Claim 6 (Previously presented) A method according to claim 1 in which the α -hydroxy acid and/or its salt if optically active is in the L-form.

Claim 7 (Previously presented) A method according to claim 1 in which the total amount of acid/salt i) is from 0.1 to 20 wt% in the total formulation.

Claim 8 (Previously presented) A method according to claim 1 in which the total amount xanthine ii) is from 0.1 to 20 wt% in the total formulation.

Claim 9 (Previously presented) A method according to claim 1 in which the hair treatment composition further comprises a surfactant.

Attorney Docket No.: J3678(C)

Serial No.: 10/520.394 Filed:

January 4, 2005

Confirmation No.: 5147

Claim 10 (Previously presented) A method according to claim 1, in which the hair treatment composition further comprises a cationic, or silicone based conditioning agent.

Claim 11 (Previously presented) A method according to claim 1 in which the hair treatment composition further comprises a styling agent.

Claim 12 (Previously presented) A method according to claim 1 in which the hair treatment composition comprises an aqueous base.

Claims 13-15 (Cancelled)

Claim 16 (New) A method according to claim 1 wherein the substituted xanthine is selected from the group consisting of caffeine, dyphylline, cafaminol theophylline, aminophylline, and theobromine.

Claim 17 (New) A method according to claim 1 wherein the ratio of i) to ii) is from 3:1 to 1:3

Claim 18 (New) A method according to claim 1 wherein the total amount of the xanthine ii) and α-hydroxy acid present in the leave on hair treatment composition is from 2 to 5 wt %

Claim 19 (New) A method of treating hair comprising the step of applying to the hair a leave on hair treatment composition comprising:

Attorney Docket No.: J3678(C)

Serial No.: 10/520,394 Filed: January 4, 2005

Confirmation No.: 5147

i) an α -hydroxy acid component comprising L-tartaric acid and/or its salt; and

ii) a xanthine component comprising a substituted xanthine of the formula:

in which R^1 , R^2 and R^3 are independently selected from H, substituted or unsubstituted $C_1\text{-}C_5$ alkyl groups, substituted or unsubstituted $C_2\text{-}C_5$ alkenyl groups, aryl groups, arylalkyl groups or mixtures thereof, wherein the ratio of the α -hydroxy acid component i) to the xanthine component ii) is from 3:1 to 1:3, and wherein the total amount of α -hydroxy acid component i) and xanthine component ii) present in the leave on hair treatment composition is from 2 to 5 wt.%.